

## PROHLÁŠENÍ O SHODĚ A PRODUKTOVÝ LIST

### Vinylové rukavice VINYL CLASSIC

#### ČÁST I: POPIS PRODUKTU

Typ:	jednorázové nesterilní ochranné rukavice
Materiál:	polyvinylchloridová pastová pryskyřice
Barva:	bílá - průhledná
Provedení:	pravolevé, hladké, manžeta
Pudr:	není přidán
Skladování:	rukavice neztrácejí své vlastnosti při skladování v suchu při teplotě od 10 do 30 °C
Životnost:	5 let od data výroby při dodržení podmínek skladování
Balení:	100 ks v krabičce, 10 krabiček v kartonu

#### ČÁST II: SPECIFIKACE PRODUKTU

Délka (mm):	min. 230
Šířka (mm):	XS – 75 ± 5 S – 85 ± 5 M – 95 ± 5 L – 105 ± 5 XL – 115 ± 5
Tloušťka (mm):	prsty: 0.05–0.06 dlaň: 0.05–0.07
Prodloužení do přetržení (%):	min. 300
Pevnost v tahu (MPa):	min. 11
AQL:	1.5



### ČÁST III: NORMY A NAŘÍZENÍ

Tímto potvrzujeme, že výše uvedený výrobek je v souladu s:

Obecné: PPER (EU) 2016/425 Cat. I  
EN 420

Potravinářství: EC 1935/2004  
EC 2023/2006  
EU 10/2011 \* Vyhovuje pro všechny simulanty kromě 3% kyseliny octové. Tento produkt je vhodný pro manipulaci s potravinami, kromě kyselých potravin (testováno 2 hodiny při 40 ° C)

### ČÁST IV: POLOŽKY

Pol. č.	Velikost	Hmotnost (g)	Rozměry (mm)	Kvalita (g)	EAN
100042	S	483	220×125×65	4.3 ± 0.2	8594177200131
100043	M	531	220×125×65	4.8 ± 0.2	8594177200148
100044	L	576	220×125×65	5.3 ± 0,2	8594177200155
100045	XL	635	220×125×65	5.8 ± 0,2	8594177200162

### ČÁST V: NÁHLED PRODUKTU





## ČÁST VI: PŮVOD PRODUKTU

Výrobce:

GREATGLOVE (Xinghua) Co., Ltd, Sotuh of Wei Wu Road, 225700 Xinghua, China

Distributor:

Espeon s.r.o., U větrolamu 1212/53, 184 00 Praha 8, [info@espeon.cz](mailto:info@espeon.cz) , [www.espeon.cz](http://www.espeon.cz)

**GREAT GLOVE (XINGHUA) CO. LTD.****The World's Largest Manufacturer of Gloves****TOP QUALITY, TOP EFFICIENCY, GOOD HEALTH, SAFETY FIRST & BE HONEST**

A member of Top Glove Corporation Bhd, a Public Listed Company on Bursa Malaysia &amp; Singapore Exchange.

**FACTORY 15**

: South of Wei Wu Road, Economic Developing District, Xinghua 225700 Jiangsu Province, China.

☎ +86-523-8326 8976 📠 +86-523-8326 8676 ✉ great@topglove.com.my 🌐 www.topglove.com

**BUSINESS DIRECTION**

: To Produce Consistently High Quality Gloves At Efficient Low Cost.

**FACILITIES**

: 40 Factories (Malaysia, Thailand &amp; China), 648 Production Lines, 60.5 Billion Gloves Per Annum, 18,000 Employees.

**MARKET**

: Exports to 195 countries worldwide with Marketing Offices in the USA, Germany and Brazil.

**DECLARATION OF CONFORMITY**

Manufacturer's Name : GREAT GLOVE (XINGHUA) CO. LTD.

Manufacturer's Address : South of Wei Wu Road, Economic Developing District,  
Xinghua 225700, Jiangsu Province, China  
TEL : 8652383268976, FAX : 8652383268676


Name of Devices &amp; Types as below :

No	Name of Devices	Types
1	Vinyl Examination Gloves	Powdered
2	Vinyl Examination Gloves	Polymer Powder Free

Classification : **PPE Category I** (For Minimal Risk Only)

I, the undersigned, hereby declare that the disposable device(s) specified above conform to the Essential requirements listed in Personal Protective Equipment (PPE) Regulation EU 2016/425 as self-declaration providing protection against for Minimum Risks concerned the effects of which, when they are gradual, can be safely identified by the user.

Date :

1<sup>st</sup> October 2019

NOOR AKILAH SAIDIN - DEPUTY GM, RA.

**"TO PREVENT CORRUPTION & BRIBERY. CORRUPTION & BRIBERY IS A CRIME.  
BE HONEST AND NO CHEATING"**



**TOP GLOVE SDN. BHD.** (Company No. 220483-T)  
**TOP QUALITY, TOP EFFICIENCY,  
 GOOD HEALTH, SAFETY FIRST & BE HONEST**

\* A member of Top Glove Corporation Bhd, Public Listed Company on Bursa Malaysia.  
 Latex Examination, Nitrile, Surgical, Vinyl & Household Gloves Manufacturer and Exporter  
 The World's Largest Rubber Glove Manufacturer

Corporate Office : Lot 4969, Jalan Teratai, Batu 6, Off Jalan Meru, 41050 Klang, Selangor D. E., Malaysia.  
 & Factory 9 Tel: 603-3392 1992 / 1905 Fax: 603-3392 8410 / 1291  
 E-mail : sales@topglove.com.my Website : www.topglove.com.my



<b>BUSINESS DIRECTION</b>	: To Produce Consistently High Quality Gloves At Efficient Low Cost.
<b>FACILITIES</b>	: 25 Factories (Malaysia, Thailand & China), 487 Production Lines, 45 Billion Gloves Per Annum, 11,000 Employees
<b>MARKET</b>	: Exports to more than 185 countries worldwide with Marketing offices in the USA and Germany.

Date: 8<sup>th</sup> May 2014

To: Whom It May Concern

**Subject: LETTER OF DECLARATION**

This is to certify that our production of Vinyl Examination Powdered and Powder Free Gloves comply with EU Food regulation 1935/2004 and 2023/2006 and tested according to requirements of the Plastic Materials and Articles in contact with food commission follow the new Regulation (EU) No. 10/2011 of 14 January, 2011.

Verified by

.....  
 Pn Noor Akilah Saidin  
 QA Deputy General Manager

RA/LOD/034/04/14-1



GERMANY



EUROPE



U.S.A.



AUSTRALIA



CANADA



MALAYSIA

**"To Prevent & Against Corruption" and "Be Honest, No Cheating"**

**Test Report****No: SHFDO111226875FDS1****Date: Jan 06 2012**

Client name: Great Glove(Xing Hua) Co.,Ltd  
Client address: South of Wei Wu Road, West of XiHuan Road,Developing District.XingHua  
City,Jiangsu Province ,China

**The following sample(s) was/were submitted by/ on behalf of the client as (except SGS  
reference No. & SGS job No. & Date of receipt & Testing period):**

Sample name: Vinyl Examination Powder Free Gloves  
Batch No./Date: 14" M • size 111215141  
Manufacturer: Great Glove(Xing Hua) Co.,Ltd  
SGS reference No.: SHAFD1120614001  
SGS job No.: SHFDO111226875FD  
Date of receipt: Dec 20 2011  
Testing period: Dec 20 2011 ~ Dec 28 2011

**TEST(S) REQUESTED:**

Selected test(s) as requested by applicant:

For compliance with Commission Regulation (EU) No 10/2011 of 14 January 2011 and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on plastic materials and articles intended to come into contact with food.

- 1) To determine the Overall Migration
- 2) To determine the Specific Migration of Heavy Metal
- 3) To determine the VCM-vinyl chloride monomer with reference to Commission Regulation (EU) No 10/2011 of 14 January 2011.

**TEST METHOD(S):**

Please refer to next page

**TEST RESULT(S):**

Please refer to next page

**CONCLUSION:**

When tested as specified, the tested parameters comply with the requirements stated in Commission Regulation (EU) No 10/2011 of 14 January 2011 and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on plastic materials and articles intended to come into contact with food.

Signed for and on behalf of SGS





**Test Report**

**No: SHFDO111226875FDS1**

**Date: Jan 06 2012**

**TEST METHOD(S):**

- 1) With reference to 82/711/EEC with its amendments and 2002/72/EC with its amendments for selection of condition and EN1186-1:2002 for selection of test method  
EN1186-3:2002 aqueous food simulants by total immersion method;  
EN 1186-14:2002 substitute test
- 2) With reference to 82/711/EEC with its amendments and 2002/72/EC with its amendments for selection of condition and EN13130-1:2004 for selection of test method; analysis was performed by ICP-OES.
- 3) In-house method (SHTC-CHEM-SOP-171-T), analysis was performed by HS-GC-MS.

**TEST RESULT(S):**

- 1) Overall migration

Simulant Used	Time	Temperature	Max. Permissible Limit (mg/dm <sup>2</sup> )	Result of Overall Migration (mg/dm <sup>2</sup> )
3% Acetic Acid (W/V)	2.0hr	70°C	10	< 3.0
10% Ethanol (V/V) Aqueous Solution	2.0hr	70°C	10	< 3.0
50% Ethanol (V/V) Aqueous Solution	2.0hr	70°C	10	6.9
95% Ethanol (V/V) Aqueous Solution (Rectified Olive Oil Substitute)	2.0hr	60°C	10	6.9
Isooctane (Rectified Olive Oil Substitute)	0.5hr	40°C	10	< 3.0
20% Ethanol (V/V) Aqueous Solution	2.0hr	70°C	10	< 3.0

Notes :

- (1) mg/dm<sup>2</sup> = milligram per square decimeter
- (2) °C = degree Celsius
- (3) <= less than
- (4) Analytical tolerance of aqueous simulants is 1 mg/dm<sup>2</sup>
- (5) Analytical tolerance of fatty food simulants is 3 mg/dm<sup>2</sup>
- (6) Test condition & simulant were specified by client.

- 2) Specific Migration of Heavy Metal

Simulant Used: 3% Acetic Acid (W/V) Aqueous Solution

Test Condition: 70°C 2.0hr

Test Item(s)	Limit	Test Result(s)	Method Detection Limit(s)
Barium	1	Not detected	0.25
Cobalt mg/kg	0.05	Not detected	0.05
Copper mg/kg	5	Not detected	0.25
Iron mg/kg	48	Not detected	0.25
Lithium mg/kg	0.6	Not detected	0.5
Manganese mg/kg	0.6	Not detected	0.25
Zinc mg/kg	25	Not detected	0.5

Note: Test condition & simulant were specified by client.

Page 2 of 3

RAND: 5610117

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention and is provided within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



3<sup>rd</sup> Building, No. 889, Yishan Road, Shanghai, China 200233 t (86-21)61402666/2785 f (86-21)54500454  
 中国·上海·宜山路889号3号楼 邮编: 200233 t (86-21)61402666/2785 f (86-21)54500454

SHFD

www.cn.sgs.com  
 e.sgs.china@sgs.com



**Test Report**

**No: SHFDO111226875FDS1**

**Date: Jan 06 2012**

**3) Vinyl Chloride Monomer (VCM)**

Test Item(s)	Limit	Test Result(s)	Method Detection Limit(s)
VCM(Vinyl Chloride Monomer)	1	Not detected	0.5

**SAMPLE DESCRIPTION:** White stick in bag



\*\*\* End of Report\*\*\*